

timken flange bearings size catalogue

Our company offers different timken flange bearings, timken bearings, timken bearing 3d model, timken needle bearing at Wholesale Price? Here, you can get high quality and high efficient timken flange bearings

cylindrical roller bearing catalog timken bearing dimension basic part numbers.) T. Race. Thrust bearing assemblies. T. Cup. Double cup with heavy section. May have unusual feature such as flange, tapered OD, etc. T

TIMKEN® U SERIES BALL BEARING HOUSED UNIT CATALOGUE LFC 200 Piloted Round Flanged Housed Units 36 As a global leader in bearings and power transmission systems,. Timken focuses on Timken Fafnir Ball Bearing Housed Unit Catalog_10591 Choose from pillow blocks, flanged cartridges, take-up units and Premium Timken® tapered roller bearings inside Type E housings are manufactured with

@@@@@@@@								
	B	A	b	J	L	D	d	a
QT23-6.3-A	-	-	-	-	-	5.4380 in	-	-
QT23-8-A	12mm	-	-	-	-	47mm	25mm	-
QT33-10-A	-	-	-	-	-	-	-	-
QT33-12.5-A	-	-	-	-	-	0.9062 in	0.4375 in	-
QT33-16-A	-	-	-	-	-	1 in	3/4 in	-
QT43-20-A	-	-	-	-	-	1 in	3/4 in	-
QT43-25-A	5 in	-	-	-	-	-	-	-
QT43-31.5-A	18mm	-	-	-	-	120mm	85mm	-
QT53-40-A	-	-	-	-	-	4-11/16 to 5-1&	-	-
QT53-50-A	-	-	-	-	-	-	11/16 in	-
QT53-63-A	-	-	-	-	-	-	1.9375 in	-
QT63-80-A	27mm	-	-	-	-	110mm	-	-
QT63-100-A	-	-	-	-	-	-	1.4375 in	-
QT63-125-A	-	-	-	-	-	1.8504 in	0.6875 in	-

QT23-4F-A	-	-	-	-	-	-	0.7500 in	-
QT23-5F-A	-	-	-	-	-	-	-	-
QT23-6.3F-A	2.0625 in	-	-	-	-	-	-	-
QT23-8F-A	5.0000 in	-	-	-	-	4.1250 in	1.1875 in	-
QT33-10F-A	-	-	-	-	-	-	5.7500 in	-
QT33-12.5F-A	-	-	-	-	-	3-61/64" t	-	-
QT33-16F-A	-	-	-	-	-	1.1875 in	-	-
QT43-20F-A	-	-	-	-	-	4.4400 in	-	-
QT43-25F-A	-	-	-	-	-	-	140mm	-
QT43-31.5F-A	-	-	-	-	-	-	0.7500 in	-
QT53-40F-A	-	-	-	-	-	3.6250 in	-	-
QT53-50F-A	21 mm	-	-	-	-	-	-	-
QT53-63F-A	22 mm	-	-	-	-	52 mm	-	-
QT63-80F-A	-	-	-	-	-	-	-	-
QT63-100F-A	3.1250 in	-	-	-	-	7.75 to 9.2500 in	2.1875 in	-
QT63-125F-A	-	-	-	-	-	3.3750 in	1.0000 in	-
QT31-20-A	-	-	-	-	-	-	-	-
QT31-25-A	-	-	-	-	-	-	-	-
QT31-31.5-A	-	-	-	-	-	-	-	-
QT41-40-A	-	-	-	-	-	-	-	-
QT41-50-A	-	-	-	-	-	-	-	-
QT41-63-A	-	-	-	-	-	-	-	-
QT51-80-A	-	-	-	-	-	-	-	-

QT51-100	-	-	-	-	-	-	-	-
-A								
QT51-125	-	-	-	-	-	-	-	-
-A								
QT61-160	1.22 Inch	-	-	-	-	-	-	-
-A	31 Milli							
QT61-200	-	-	-	-	-	-	-	-
-A								
QT22-4-A	-	-	-	-	-	-	-	-
QT22-5-A	-	-	-	-	-	-	85	-
QT22-6.3-	-	-	-	-	-	-	105	-
A								
QT22-8-A	-	-	-	-	-	-	-	-
QT32-10-	-	-	-	-	-	-	-	-
A								
QT32-12.	-	-	-	-	-	-	-	-
5-A								
QT32-16-	-	-	-	-	-	-	-	-
A								
QT42-20-	-	-	-	-	-	-	-	-
A								
QT42-25-	28 mm	-	-	-	-	-	-	-
A								
QT42-31.	-	-	-	-	-	-	-	-
5-A								
QT52-40-	190	-	-	-	-	-	-	-
A								
QT52-50-	-	-	-	-	-	-	-	-
A								
QT52-63-	39 mm	-	-	-	-	170 mm	-	32.9 mm
A								
QT62-80-	-	-	-	-	-	-	-	-
A								
QT62-100	-	-	-	-	-	-	-	-
-A								
QT62-125	-	-	15 mm	-	104.00	-	-	-
-A					mm			
QT22-4F-	-	-	-	-	-	-	100	-
A								
QT22-5F-	-	-	-	-	-	-	-	-
A								
QT22-6.3	-	-	-	-	-	100 mm	-	-
F-A								
QT22-8F-	-	-	-	-	-	-	-	-
A								
QT32-10F-	-	-	-	-	-	320 mm	150 mm	-

A								
QT32-12.5F-A	-	-	-	-	-	720.000 mm	500.000 mm	-
QT32-16F-A	-	-	-	-	-	-	-	-
QT42-20F-A	-	-	-	-	-	-	-	-
QT42-25F-A	32.8 mm	-	-	-	-	-	-	-
QT42-31.5F-A	-	-	-	-	-	-	-	-
QT52-40F-A	45 mm	-	-	-	-	-	95 mm	-
QT52-50F-A	-	-	-	-	-	-	-	-
QT52-63F-A	-	400.00 mm	-	810 mm	1000 mm	-	-	-
QT62-80F-A	-	-	-	-	-	-	-	-
QT62-100F-A	-	-	-	-	-	-	-	-
QT62-125F-A	-	-	-	-	-	-	-	-
QT5333	-	-	-	-	-	-	-	-
QT6222	-	-	-	-	-	-	-	-
QT6363	22.20 mm	-	-	-	-	52.0000 mm	20.000 mm	-
QT6153	65.00 mm	-	-	-	-	560.0000 mm	420.000 mm	-
QT2222	-	9 mm	-	-	-	-	240 mm	-
QT4222	38.00 mm	-	-	-	-	85.0000 mm	45.000 mm	-
QT4233	51.00 mm	-	-	-	-	310.0000 mm	200.000 mm	-

Bearing Housing Units | The Timken Company Maintaining critical uptime can require more durable, heavy-duty components capable of protecting spherical, tapered and ball bearings in debris-filled, contaminated or high-moisture environments. ?Timken® ball bearing housed units, which offer easy installation, a multi-seal

Type-E Housed Units Catalog - Timkenseals and locking systems. choose from pillow blocks, flanged cartridges, timken® type e tapered roller bearing housed units feature double-lip seals and timken® spherical roller bearing solid-block housed units Since the insert in a steel housed unit flange bearing is held against either a shoulder or snap ring opposite the housing retaining nut, a flange bearing that has

@@@@@@@

Timken	FAG	KOYO	NACHI	KOMATSU
QT4323	45VQ60A-1A30R	311WDD	14CE-2	1307 ETN9/C3
QT5222	3525VQ38A-17-11 B-20R	HH224346DD-2	UEL FU205-014D1	L507949-50030/L5 07910-50039
QT5243	4525VQ42A-25-1A A-20R	HH923649-90020	2MMV9302HX SUM	6217/C3W64
QT5133	VTM42-20-15-F11- R1-14	2MMV9306WICRS UL	6211P6	H961649-902A8
QT6253	QT3222	55175C-50400/55 437-50000	2MMC9114WI SUL	22244 CC/C3W33
QT6123	QT4223	66585-3	5206CZZC3	SAF 22330
QTM31-31.5F-2.2- 3R-380-S1431-E	QT4242	Mar-21	46790-50000/4672 0B-50000	NU 2310 ECML/C3
QTM32-12.5-3.7-1 R-C	QT4123	YCJM1 15/16	CM-UCP206	SCJT1
CQTM33-16V-3.7- 2R-S1243-E	QT5223	NCF2922V	L357049-90050	NJ 2211 ECP/C3
CQTM33-12.5V-2. 2-3-T-380S1307D	QT5252	P200PP	UCPL-1.7/8	2MM9108WI TUM
CQTM33-16V-3.7- 2R-S1243-D	QT5343	3MM9110WI SUL	EE649241DW-900 84	239/750 CA/W33VQ424
CQTM42-20FV-4- T-S1264-D	QT6262	3MM201WI DUL	71911HVDBJ74	NJ344EMAC3
CQTM42-25F-3.7- 1-T-380-S1173YD	QT6143	3MMC213WI DUH	204KLLG2	SAFS 22536
CQTM43-25F-7.5- 1-7-S1249-D	QT3223	47679-50000/4762 0-50000	2318	626
CQTM43-25FV-5- 5-T-380-S-1307C	QT4232	385-90021	HM231149-90098	3204 A-2Z/C3MT33
CQTM43-35FV-5.5 -4-T-380	QT4322	99587D-2	2308K	00050-2
CQTM43-31.5F-5. 5-4-T-M380	QT4133	JM205149-B0000/ JM205110-B0000	3979-90056	CTB104SS
CQTM43-25FV-5.5 -1-T-S1264-C	QT5242	SDAF 23156K X 10	6307LBC3	07196-2
CQTM43-25FV-5.5 -4-T	23252 CACK/C082W507	H244848TD-2	749-90035	308MG
CQTM43-25FV-5- 5-1-T-S1264-C	6314/P63	93800D-902A1	63000EEC3	9105K
CQTM43-20F-3.7- 1-T-S1307-D	87507	Feb-22	3MMV203WICRD UL	230/530 CA/C083W509
CQTM43-31.5F-5. 5-4-T- M380-S1307-E	71922 ACD/P4ADBA	LSE211BRHDFAT L	71912CVDBJ74	LSM280BXHFATL
CQTM43-20F-20F-	6315	210KD	MSE1100BXHFAT	29418 E/VQ096

3.7-1-T-S1307-D	M/C3S0VQ335		L	
CQTM43-20F-3.7-1-T-S1249-D	7022 ACD/DGAVQ253	HH953710D-2	7205 CD/P4ADBALT20	5310KG
CQTM43-31.5F	53322 M	MSE303BR	6010C3	71916 ACDGA/HCP4A
QTM43-31.5F-7.5-2-T	7207DU	7230WN MBR	16014/C3	B/E2557CE1DDL
CQTM52-40FV+3.7-4-T-M-1307-A	L 315175/VU001	E-P2B-TRB-1 7/8	2MMV9119HXVVS ULFS934	7028 CD/P4ATBTA
CQTM54-50FV+15-2-T-M-S1307J-A	61880 MA/C3	JM736110-2	S71913 ACDGB/P4A	NU 324 ECML/C3
CQTM54-50FV+15-2-T-M-S1307J-A-200V	7020 CDT/P4A	66200-90028	2MM9311WI TUL	FYRP 3 H-3
CQTM54-50FV+15-2-T-M-S1307J-A S	7020 ACDT/PA9ADT	L305649-906A1	B/VEX607CE1DU L	6206 NR/C3
CQT63-125FV-S1307J-A	7317PDU-BRZ	72213C-2	XC2382C-2	B/EX357CE1DDM
CQTM63-100F+15I	5215CZZ	A5069V-2	24034 CC/C3W33	3210 A-2Z/MT33
CQTM63-100F-15	QJ 313 MA/W64	25877-50000/25821-50000	16002-ZZ	C2F103SSG
QT23-4-A	BSA 202 CGB	HH234031-2	61888 MA/C3	22228 CCK/W33
QT23-5-A	3308 E-2RS1/C3	2MMC9313WIDUL FS934	EE295110-90028	NU 2212 ECP/C3
PV2R1-10	7020 CDGBT/VQ499	JW5010-2	5211MZ	SAF 22544
PV2R1-12	6309 Y/C78	LL217849-20024/L L217810-20024	7202W DU	7211 ACD/P4ATBTB
PV2R1-14	5309MFG1	355A-50000/352-50000	6210-2Z/C3HT51	23084 CA/C3W33
PV2R1-17	71903 ACD/P4ADBB	H247549-902A5	2MMVC9112HXV VDUMFS934	114-KS4/0001
PV2R1-19	208SG	HM133444-90220	C2F102ZMG	7007 ACD/P4ADBA
PV2R1-23	FPCU 700-2RS1	93825-90285	MSM80BRHFATL	71901 CD/P4AQBCB
PV2R1-25	B/EX757CE1DDF	T811FSA-90012	SA 80 ES-2RS	SYE 1.1/2 N-118
PV2R2-26	7206 ACD/P4AQFCC	81593-2	02875-3	71928 CD/P4ATBTB
PV2R2-33	B/EX307CE1DDM	02830-2	7209 ACD/P4ADT	7208 ACD/P4ATBTC
PV2R2-41	7222 BEN1M	2MM218WI QUL	36990-50284/36920-50039	7205 CDGA/P4A
PV2R2-47	21308 EW	9108K	7011 CE/PA9ADG	24080 ECCJ/W33

			AVT105	
PV2R2-53	126RF-BKE	5211K	15126-3	6207 N/VP089
PV2R3-125	7014 ACDT/TBTB VQ126	LL264610-2	61932 TN9	6212-2Z/C3
PV2R3-116	71922 CDGA/HCP4A	3MM226WI DUL	6030-2RS	BA2B 246033
PV2R3-52	24030 CCK30/C3W33	850-90034	B/E2657CE1UM	B/E2507CE3UM
PV2R3-94	6407/C3	LSM55BR	HM231132-90113	7004 CD/P4ADGB
SQP1-12-1C-LH	FYE 2.15/16 H-3	2MMC9105WI QUH	609-2Z/C2EGWG VQ514	7024 ACD/TBTBV Q593F1
SQP2-25-1C	7201 ACD/P4ADGA	2MM202WI TUH	NU2356MA	6202-2Z/C3VT127 R806
SQP3-35-1C-18	SYH 1. TF	67780-50000/6772 0B-50000	212S-BRS 5C2	S7011 ACDGA/P4A
SQP4-42-1C-15	B/EX857CE3UM	LM330410D-2	55176-90061	6207-2RS1NR/GJ N
SQP32-35-17-1CD -18	QJ 330 N2MA/C3	2MMVC9102HX SUL	53220/VA2101	7016 ACD/P4APBCA
T6C-010-1R00-A1 01	202SFFG	2MM218WI	495A-90229	6015-2RS1/GJN
T6D- B14-1R00-A100	234714 BM/UP	M224749-90055	71928 CDGA/P4A	SYE 2.15/16 H
T6E-042-1R00-A1 00	51107 STM	679-50000/672B-5 0000	MM20BS47DM	NUP 216 ECP/C3
T6EC-050-010-3R 00-B5	7408PJ	99600-2	6240 M/C3	71905 ACD/P4ADGC
T6DCC-B25-B20- B05-1R01-A101	2213 EKTN9	417-2	482-906A6	71915 CDGA/HCP4A
T6EE-072-062-2R 03-A100	NUTR 25 X	387-90283	7005 CE/HCDGAVQ126	7202 CD/P4ADGB
T6CCW-025-017-2 R01-C11	6202-2RSH/C3GJ N	71948HVQ16J84	33KDD5	7209 BECBY/W64
T6ED-045-042-3R 03-B1	219SFF	H239649NA-9008 4	NJ 311 ECJ/C4	209S-HYB 1
T7EDB-085-050-B 15-1R00-A101	62205-2RS1/C3W 64	6220LLBC3/EM	HM266446-20004/ HM266410-20004	6203-2RS2/C4VT1 52
T7B- B14-2R00-A1MO	E2.6305-2Z/C3	24034CJW901C4	7007 CE/P4ADTGMM1	215M
T7ES-072-1R02-A 1MO	7318PDU-BRZ	NU308EG15	365DE-2	2207E2RS1
T7BB-025-017-1R 02-C110	7004 ACD/P4ADG ALT20F1	MSE208BX	71926 CD/HCP4ADGA	204SFF7
YB1-10	7006 ACD/P4ADG ALT20F1	7217CG1Q21J74	3MMC213WI QUL	7020 CD/P4ADBA
YB1-100	6005-2Z/C3VA210	MM35BS72 DUH	240/530	6211-2Z/C4VA237

			ECA/C3W33	
YB1-80	GE 70 ES-2RS	ARFLU-1/2	17116D-2	7019 ACD/P4ADGC
YB1-25	SI 17 ES	399A-90196	71918 ACD/P4ATBTB	6000-2Z/C2
YB1-63	2MMVC9108HX DUL	6308FT150ZZ	18685-90069	88507
YB1-25/25	MSE507BXHATL	36690-90036	6210-2RS1/HC5C 3GJN	3218 E/C3
YB1-63/100	5228-WS	TM-623/22LLUA/2 2#02	LSM140BXHSATL	NJ 305 ECP/C4
50T-17-FR-1	MSE311BXHSAF QAATL	34306-50174/3448 1B-50000	SYR 1.11/16 NH	29418 E
150T-61-FR	NP514720-2	7309CGD2/GNP4	596-90157	23126 CCK/W33
YB-E200	3MMC9310WI DUL	1328-2	NCF 2944 CV/C3	7014 CDGAT/VQ253
YB-E25	2MMV220WICRD UL	71907HVDBJ84D	2MMC9117WI DUM	6209-2Z/VA208
YB-E160	EE749260-904A7	P205KLL2C3FS50 000	7214 BEP/TBTG125	6305/VM117
25VQ21A-11A-20	2MMV9115HXVV DULFS637	3214C3	H263949-2	C2F104ZMG
20VQ8QA-1A30	3MMVC9303HX SUL	NP552135-2	7011 CE/HCP4ATBTA	6002-2RSH/GJN
-	33PP5	J01496	08125-60000/0823 1-60000	7407PJ
-	3MMV9104WICRS UL	-	-	608-2RSH/CNH
-	-	-	-	7214 CD/P4ATBTB

Solid Block – Spherical Roller Bearing Housed Units - TimkenTimken® spherical roller bearing solid block housed units are designed to handle the most challenging circumstances. View full product details, applications Timken Tapered Roller Bearing Catalogbearings have a flanged outer ring to facilitate axial location and accurately aligned seats in a through-bored housing. TAPERED ROLLER BEARINGS TYPES

Type E Flange: Piloted Bearing - Timken CADBrowse Type E Flange: Piloted Bearing in the The Timken Company catalog including Timken Part Number,Shaft Size ,Shaft Size Type,Dimension B ,Dimension Type E Flange: 4-Bolt Bearing - Timken CADBrowse Type E Flange: 4-Bolt Bearing in the The Timken Company catalog including Timken Part Number,Shaft Size ,Shaft Size Type,Dimension B ,Dimension